



Your Professional Power Assistant

50 Hz (27 - 1500 KVA) Diesel Generating Sets

PT. Nawata Kurnia Putra



GENERATING SETS



SINGLE PHASE



STANDARD OPEN SKID GENSET



THREE PHASE



WATER



DIESEL



CHECK CONTROL PANELS



COMPLIANT WITH EMISSIONS NORMATIVE 97/68/CE



C SERIES

50HZ

C SERIES (50HZ)

NAWATA

Powered by CUMMINS China (27-1500KVA)

Genset Model	KVA		CONS 100% (L/h)	Dimension (mm*mmmm*mm)	Weight (kg)	Engine Model	Cyl/ Arrangement	Diplacement (L)	GOV
	ESP	PRP							
C30D5	30	27	7.1	1750*970*1500	850	4B3.9G1	4L	3.9	M
C30D5A	30	27	6.7	1750*970*1500	1170	4B3.9G2	4L	3.9	E
C44D5	44	40	9	1750*970*1500	110	4BT3.9G1	4L	3.9	M
C44D5A	44	40	9.3	1750*970*1500	1150	4BT3.9G2	4L	3.9	E
C55D5	55	50	12.9	1750*970*1500	1190	4BTA3.9G2	4L	3.9	E
C66D5	66	60	12.9	1850*970*1500	1190	4BTA3.9G2	4L	3.9	E
C88D5	88	80	17.6	2160*1030*1550	1250	4BTA3.9G11	4L	3.9	E
C110D5	110	100	22.3	2160*1030*1550	1280	6BT5.9G2	6L	5.9	E
C125D5	125	112.5	27	2160*1030*1550	1450	6BTA5.9G2	6L	5.9	E
C138D5	138	125	30	2220*1030*1550	1550	6BTAA5.9G2	6L	5.9	E
C150D5	150	138	30	2320*1030*1550	1550	6BTAA5.9G2	6L	5.9	E
C165D5	165	150	34	2440*980*1710	1710	GBTAA5.9G12	6L	5.9	E
C200D5	200	180	42	2440*980*1710	1710	6CTA8.3G2	6L	8.3	E
C220D5	220	200	45.4	2520*980*1760	1860	GCTAA8.3G2	6L	8.3	E
C275D5	275	250	53	2570*1140*1680	1980	6LTAA8.9G2	6L	8.9	E
C275D5N	275	250	53.4	3050*1110*1765	3350	NT855GA	6L	14	E
C330D5	330	300	61.3	3050*1110*1765	3350	NTA855G1A	6L	14	E
C350D5	350	313	61.3	3050*1110*1765	3350	NTA855G1B	6L	14	E
C388D5	388	350	61.3	3050*1110*1765	3350	NTA855G2A	6L	14	E
C388D5A	388	350	75.3	3050*1110*1765	3520	NTA855G4	6L	14	E
C413D5	413	375	85.4	3200*1110*1085	3600	NTAA855G7	6L	14	E
C440D5	440	400	89.2	3200*1110*1085	3870	NTAA855G7A	6L	14	E
C500D5	500	450	111	3370*1530*2100	3970	KTA19G3	6L	18.9	E
C550D5A	550	500	120	3370*1530*2100	3970	KTA19G3A	6L	18.9	E
C550D5	550	500	120	3370*1530*2100	3970	KTA19G4	6L	19	E
C650D5	650	600	139	3560*1500*2100	5360	KTA19G8	6L	18.9	E
C688D5	688	625	127.8	3560*1500*2100	5300	KTAA19G6A	6L	18.9	E
C713D5	713	650	143	3700*1700*2200	4650	QSKTAA19G3	6L	19	E
C825D5	825	750	167	4400*1750*2180	6950	KTA38G2	12V	37.8	E
C880D5	880	800	172	4400*1750*2180	6950	KTA38G2B	12V	37.8	E
C1000D5	1000	900	191	4400*1750*2180	7340	KTA38G2A	12V	37.8	E
C1100D5	1100	1000	209	4380*2080*2200	7620	KTA38G5	12V	37.8	E
C1250D5	1250	1125	209	4560*2010*2475	7600	KTA38G9	12V	37.8	E
C1375D5	1375	1250	254	5000*2080*2282	9800	KTA50G3	16V	50.3	E
C1675D5	1675	1400	289	5000*2080*2282	10500	KTA50G8	16V	1375	E
C1675D5A	1675	1500	309	5000*2080*2282	10500	KTA50GS8	16V	1375	E