



Your Professional Power Assistant

50 Hz (25 - 2250 KVA) Diesel Generating Sets

PT. Nawata Kurnia Putra



GENERATING SETS



SINGLE PHASE



STANDARD OPEN SKID GENSET



THREE PHASE



WATER



DIESEL



CHECK CONTROL PANELS



COMPLIANT WITH EMISSIONS NORMATIVE 97/68/CE



C SERIES

50HZ

C SERIES (50HZ)



Powered by CUMMINS G Drive (25-2250KVA)

| Genset Model | KVA | | CONS 100% (L/h) | Dimension (mm*mmmm*mm) | Weight (kg) | Engine Model | Cyl/ Arrangement | Diplacement (L) | GOV |
|--------------|------|------|-----------------|------------------------|-------------|--------------|------------------|-----------------|-----|
| | ESP | PRP | | | | | | | |
| C27D5 | 2.75 | 25 | 6.5 | 1780*750*1430 | / | X2.5G2 | 3L | 2.5 | M |
| C220D5 | 220 | 200 | 45 | 2520*980*1760 | 2650 | QSB7-G5 | 6L | 6.69 | ECM |
| C275D5 | 275 | 250 | 59 | 2570*1140*1680 | 2980 | QSL9-G3 | 6L | 8.8 | ECM |
| C330D5 | 330 | 300 | 63 | 3050*1110*1765 | 3350 | QSL9-G5 | 6L | 8.9 | ECM |
| C440D5 | 440 | 400 | 85.7 | 3370*1530*2100 | 3600 | QSX15-G4 | 6L | 15 | ECM |
| C509D5 | 509 | 462 | 95.9 | 3370*1530*2100 | 5200 | QSX15-G6 | 6L | 15 | ECM |
| C550D5 | 550 | 500 | 103 | 3400*1305*1974 | 4610 | QSX15-G8 | 6L | 15 | ECM |
| C550D5A | 550 | 500 | 107 | 3050*1110*1765 | 3350 | KTA19-G4 | 6L | 18.9 | E |
| C713D5 | 713 | 650 | 140 | 4000*1880*2179 | 5396 | VTA28-G5 | 12V | 28 | E |
| C800D5 | 800 | 725 | 85.7 | 4100*1880*2190 | 5700 | QSK23-G2 | 6L | 23.1 | ECM |
| C825D5 | 825 | 750 | 180 | 4000*1880*2179 | 5500 | VTA28-G6 | 12V | 28 | E |
| C880D5 | 880 | 800 | 161 | 4110*1500*2100 | 5920 | QSK23-G3 | 6L | 23.1 | ECM |
| C1030D5 | 1030 | 930 | 184 | 4430*1950*2258 | 6650 | QST30-G3 | 12V | 30.5 | ECM |
| C1100D5 | 1100 | 1000 | 202 | 4430*1950*2258 | 6990 | QST30-G4 | 12V | 30.5 | ECM |
| C1100D5A | 1100 | 1000 | 209 | 4300*2080*2187 | 7620 | KTA38-G5 | 12V | 38 | E |
| C1250D5 | 1250 | 1135 | 256 | 4300*2080*2187 | 9800 | KTA38-G9 | 12V | 37.8 | E |
| C1375D5 | 1375 | 1250 | 261 | 5000*2080*2282 | 9800 | KTA50-G3 | 16V | 50 | E |
| C1375D5 | 1375 | 1250 | 274 | 4380*2080*2200 | 7620 | QSK38-G5 | 12V | 37.7 | ECM |
| C1500D5 | 1500 | 1375 | 289 | 5000*2080*2282 | 10500 | KTA50-G8 | 16V | 50 | E |
| C1650D5 | 1650 | 1500 | 289 | 5000*2080*2282 | 10500 | KTA50-G8 | 16V | 50 | E |
| C1650D5A | 1650 | 1500 | 309 | 6100*2180*2850 | 12700 | KTA50-GS8 | 16V | 50.3 | E |
| C1815D5 | 1815 | 1650 | 349 | 6100*2180*2850 | 12700 | QSK50-G7 | 16V | 50.3 | ECM |
| C2063D5 | 2063 | 1875 | 371 | 6100*2180*2850 | 14500 | QSK60-G3 | 16V | 60.2 | ECM |
| C2200D5 | 2200 | 2000 | 394 | 6100*2180*2850 | 14500 | QSK60-G4 | 12V | 60.2 | ECM |
| C2500D5 | 2500 | 2250 | 399 | 6100*2180*2850 | 14500 | QSK60-G13 | 16V | 60.2 | ECM |