



Your Professional Power Assistant

60 Hz (200 - 2250 KVA) Diesel Generating Sets

PT. Nawata Kurnia Putra



GENERATING SETS



SINGLE PHASE



STANDARD OPEN SKID GENSET



THREE PHASE



WATER



DIESEL



CHECK CONTROL PANELS



COMPLIANT WITH EMISSIONS NORMATIVE 97/68/CE



C SERIES

60HZ

C SERIES (60HZ)



Powered by CUMMINS G Drive (200-2250KVA)

Genset Model	KVA		CONS 100% (L/h)	Dimension (mm*mmmm*mm)	Weight (kg)	Engine Model	Cyl/ Arrangement	Diplacement (L)	GOV
	ESP	PRP							
C250D6	250	230	50	2520*980*1760	1860	QSB7-G5	6L	6.69	E
C316D6	316	288	70	2570*1140*1680	1980	QSL9-G3	6L	8.8	E
C370D6	370	338	75	3050*1110*1765	3350	QSL9-G5	6L	8.8	E
C500D6	500	450	97.6	3370*1530*2100	3970	QSX15-G4	6L	15	E
C500D6A	500	450	97.6	3370*1530*2100	3970	QSX15-G6	6L	15	E
C625D6	625	569	117.8	3370*1530*2100	3970	QSX15-G9	6L	15	E
C935D6	935	850	176	4400*1750*2180	6950	QSK23-G2	6L	23.15	E
C988D6	988	894	189	4400*1750*1280	6950	QSK23-G3	6L	23.15	E
C1125D6	1125	1025	207	4430*1950*2285	6650	QST30-G3	12V	30.48	E
C1250D6	1250	1138	240	4430*1950*2286	6990	QST30-G4	12V	30.48	E
C1320D6	1320	1200	262	4380*2080*2200	7620	QSK38-G5	12V	37.7	E
C1450D6	1450	1318	262	4380*2080*2200	7820	QSK38-G5	12V	37.7	E
C1513D6	1513	1375	291	5000*2080*2282	9800	KTA50-G3	16V	50.3	E
C1650D6	1650	1500	330	5000*2080*2283	10500	KTA50-G9	16V	50.3	E
C1720D6	1720	1563	330	5000*2080*2284	10500	KTA50-G9	16V	50.3	E
C1875D6	1875	1705	330	5000*2080*2285	10500	KTA50-G9	16V	50.3	E
C2500D6	2500	2250	466	6100*2180*2850	14500	QSK60-G6	16V	60.2	E
C2500D6	2500	2250	520	6100*2180*2850	14500	QSK60-G7	16V	60.2	E